

Greener Homes: An Ex-Post Estimate of the Cost of Carbon Dioxide
Emission Reduction using Administrative Micro-Data from the
Republic of Ireland

Eimear Leahy^a and Richard S.J. Tol^{a, b, c, d}

Abstract: We assess the subsidy for the installation of biomass boilers and wood gasification boilers under the Greener Homes Scheme in Ireland. We find that the (implicit) subsidy per tonne of carbon dioxide avoided varies hugely across households. The current policy costs 17% too much for the emissions avoided, or avoids 17% too few emissions for the money spent. The subsidy reduces welfare (including environmental benefits) by 42%.

Key words: climate policy, Ireland, ex-post evaluation

Corresponding Author: richard.tol@esri.ie

^a Economic and Social Research Institute, Dublin, Ireland

^b Institute for Environmental Studies, Vrije Universiteit, Amsterdam, The Netherlands

^c Department of Spatial Economics, Vrije Universiteit, Amsterdam, The Netherlands

^d Department of Economics, Trinity College, Dublin, Ireland

Greener Homes: An Ex-Post Estimate of the Cost of Carbon Dioxide Emission Reduction using Administrative Micro-Data from the Republic of Ireland

1. Introduction

There are many ex-ante estimates of the costs of greenhouse gas emission reduction (see, for example, Clarke et al., (2009)). Most of these studies assume cost-effective implementation of climate policy, although there are also papers that study the effect of one particular deviation from the first-best (see, for example, Babiker, Metcalf and Reilly, (2003)). This paper is different. It is ex-post in that it estimates the costs of a policy that has been implemented. The paper focuses on the excess costs of the policy, which was designed in such a clumsy way that no academic economist would ever think of an ex-ante analysis of this kind of intervention. The paper is about a minor subsidy (for biomass heating) in a small country (Ireland) but its implications are wider than that. There is no reason to assume that climate policy would be designed as recommended in an economics textbook. As a result, emission abatement may be considerably more expensive than typically assumed. This paper contributes to the quantification of the excess cost.

The European Union's climate-and-energy package states that renewable energy should account for 20% of the EU's final energy consumption by 2020. For Ireland, 16% of final energy consumption should come from renewables by 2020 (European Commission, 2011). The production of renewable energy must come from 3 areas: electricity, heating, and transport. The Greener Homes Scheme (GHS) was introduced in 2006 (and closed in 2011) with the aim of increasing the use of renewable energy and sustainable energy technologies in Irish homes. It thus helps Ireland meet its targets in the Renewable Energy Sources for Heating and Cooling (RES-H) category. The scheme provides a grant to domestic property owners to contribute to the initial capital cost of installing a renewable heating technology. Initially the scheme was available for residents of both existing and new dwellings; however, in July 2008 the scheme was restricted to existing homes. Between 2006 and 2010, 31,560 households received grants under the scheme. 59% of households availing of the scheme installed solar thermal, 20% installed biomass stoves and boilers, 20% installed heat pumps and less than 1% installed wood gasification boilers. The total amount offered in grants between 2006 and 2010 was approximately €68.4 million. Was this money spent wisely? Could the same money have avoided more emissions? Could the same emissions be avoided for less money? In this paper, we answer those questions for biomass boilers.

We limit ourselves to biomass boilers because these replace previous heating systems. Heat pumps provide supplemental heat, and therefore reduce only a fraction of the carbon dioxide emissions from heating. That fraction is unknown to us. Solar thermal provide supplemental heat, replacing a, to us, unknown share of heat supply. These restrictions bias our conclusions. Ireland has a maritime climate with limited variation in temperature between summer and winter. Heat pumps are therefore not very effective. Ireland is also not optimal for solar thermal. In our analysis we ignore the fact that 79% of the subsidy was spent on less suited technologies.

The GHS is only one of the three schemes aimed at reducing emissions by changing and reducing energy use in the residential sector in Ireland. The Warmer Homes Scheme (WHS) aims to improve the energy efficiency and comfort conditions of the homes of those on low incomes. Measures include the installation of lagging jackets, attic insulation, cavity wall insulation, draught proofing and energy efficient lighting. Between 2000 and 2008, €10.9m had been allocated to the scheme which covered interventions in about 17,700 households (Department of Social and Family Affairs, 2009a). The Home Energy Saving Scheme (HES) was launched in March 2009 and is available to the owners of all dwellings built before 2006. Grants are provided for the investment in energy efficient improvements such as roof insulation, wall insulation, installation of high efficiency boilers or improved heating controls. The energy rating of the building before and after the improvements is compared. Over 111,000 homes had availed of the scheme by the end of 2010 at a cost of over €47 million (SEAI, 2011). Unfortunately, we have access to the administrative data for the GHS only. We therefore do not analyse the WHS or the HES, even though households are entitled to subsidies under both GHS and either WHS or HES.

Besides subsidies for renewable energy technologies, Ireland levies a carbon tax on oil and gas for home heating. Peat and coal are exempt. The oddly designed carbon tax creates its own distortions. It also interacts with the GHS, incentivising those who use the cleaner fossil fuels to switch to biomass energy. We ignore this aspect, noting that we therefore understate the inefficiencies in the GHS.

To our knowledge, we are the first to carry out an assessment of a government run renewable energy scheme for the residential sector in Ireland. There are a number of studies of residential energy use in Ireland, for example, Leahy and Lyons (2010), O'Doherty, Lyons and Tol (2008), O'Leary, Howley and Ó'Gallachóir (2008). Scott (1997) studied the uptake of energy-saving measures. Clinch and Healy (2001) conduct an ex-ante cost-benefit analysis of the retro-fitting of homes. The study by the Department of Social and Family Affairs (2009b) is closest to ours. It carried out an ex post assessment of the energy, environmental, thermal comfort and health benefits of the WHS. The study was based on a sample of 600 households, 257 of whom availed of subsidies under the WHS and 343 who did not (but who did apply). The results show that control group improved the energy efficiency of their houses to roughly the same degree as those that did receive a subsidy, so that there was no significant difference between the control and the policy group with regard to energy use, fuel poverty, comfort and health risks.

There have been ex-post studies of the costs of residential emission reduction for other countries. Jenkins (2010) focused on a scheme that was available to fuel poor households in the UK. The measures considered were loft insulation, improved lighting, improved glazing, draught proofing, external insulation, improved boiler and refrigeration. Comparing the results of 3 previous UK studies, Jenkins (2010) finds that the cost of retrofitting a house, assuming that a carbon saving of at least 50% was achieved, varies from between £7,000 and £31,900. The annual cost of saving a tonne of carbon as a result of the retrofit varies between £2,252 and £10,250. Mills and Schleich (2009) studied the adoption of solar thermal technologies in the German residential sector. Results show that households can make moderate savings on energy expenditure from combined solar water and space heating systems. There is no evidence of savings for those households that install solar technologies for either space or water heating, however. There is also little evidence of differential

adoption across socio-economic groups. The authors note low adoption of solar technologies in the German housing market and attribute this to the fixed housing stock and the relatively low savings potential. Amstalden et al. (2006) analysed the profitability, from the homeowner's point of view, of investing in energy efficient retrofit measures in the Swiss residential market. The authors find that the profitability of the investment is heavily influenced by expected future energy prices. If oil prices are at 2005 levels or higher, the investment in energy efficient retrofit measures would be profitable, even without government supports. Concerning market intervention, a combination of policy options such as subsidies, income tax deductions and a carbon tax would make the investment profitable even when oil prices are relatively low. The authors argue that subsidies alone would not make the investment profitable unless oil prices rise substantially. Wasi and Carson (2011) examine recent rebate programmes aimed at increasing the share of solar/heat pump systems for the purpose of residential water heating in New South Wales. Using a specifically designed survey, the authors collect information from home owners who have recently purchased the water heater. They find that the rebate programme increased the share of solar/heat pump systems by 43% for households who do not have access to natural gas. For those with natural gas access, the programme increased the share of solar/heat pump systems by 19%. It appears that the rebate programmes were important only for those households that deliberately set out to replace their water heater. The rebate program was much less effective when water heaters were replaced on an emergency basis. Data were also collected on a group of respondents who are likely to replace their water system in the near future. These data were analysed using several flexible choice models. Results show that there is considerable heterogeneity in preferences toward different types of water heaters as well as in the household discount rates. Ortiz and Markandya (2009) investigated the cost effectiveness of different policy options to promote the use of energy efficient appliances in Europe. The authors analysed energy taxes, subsidies, tax credits and bans. The improvement of refrigerators, washing machines and boilers and the installation of energy efficient light bulbs in 4 European countries were considered. In each case the reduction in CO₂, the administrative costs and the welfare costs and gains were compared. The best policy response was found to depend on the country and on the appliance in question. In most cases, subsidies were found to be more expensive than energy taxes. Although subsidies tend to produce larger CO₂ reductions they tend also to be associated with higher welfare costs. Metcalf (2009) analysed the US tax code in relation to low carbon technologies. He argues that subsidies are inefficient because they lower the cost of energy. The consumer is thus encouraged to respond in a manner that contradicts the goal of emission reduction. Metcalf (2009) also makes the point that it is difficult to achieve technology neutrality with subsidies. This argument is most relevant for the GHS where different subsidies are awarded for different technologies and all households are awarded a different price per tonne of carbon avoided. According to Metcalf (2009), the promotion of carbon free technologies should be done by increasing the price of carbon and not by subsidising clean-energy technologies.

The paper continues as follows. Section 2 presents the data and methods used. The results are presented in section 3. Section 4 provides a discussion and conclusion.

2. Data and Methods

We use the anonymised micro data for the GHS provided by the Sustainable Energy Authority of Ireland (SEAI). The dataset contains household information about the amount of the grant provided, the type of product installed, the gross cost of the installation, the size of the dwelling (in square feet or metres), the number of bedrooms, the type of accommodation, the county in which the applicant lives, the date on which the grant is provided and the fuel which is displaced. The data refers to all of the grants that were allocated under the scheme between April 2006 and October 2010. In total 30,155 households received grants over this period. The demand profile for different technologies over the course of the scheme is displayed in Table A1. Table A2 shows the grants that were available at different time periods. The average installation cost reported by applicants and the expected total cost of the installation, as estimated by SEAI (2010), is also displayed.

We first estimate the subsidy in relation to the emissions avoided by each household. We restrict the sample to those households that availed of grants for biomass boilers and wood gasification boilers. In order to assess the cost of emission reduction we impute energy usage, total emissions and the emissions of the displaced fuel for each household in the restricted sample. For this part of the analysis we incorporate the anonymised 2004/05 Household Budget Survey (HBS) (CSO, 2007a) which is carried out on a representative random sample of private households in Ireland. Administered by the Central Statistics Office of Ireland, the main aim of the HBS is to determine household expenditure in order to update the weightings used for the Consumer Price Index. Detailed information is also provided on income and household facilities. In 2004/05, 6,884 private households participated in the survey. Households record expenditure on different fuel types over specified periods, as well as the volume used.¹ The price of fuel follows. We then impute energy use for households that availed of the GHS by matching households in the HBS to households in the GHS based on variables that are common to both datasets: the type of dwelling, year built, the number of bedrooms and primary heating fuel. Each household in our sample is thus a representative of a group of similar households in the HBS. We estimate the emissions of each fuel type for each household by multiplying the quantity by its emission factor (Scott and Eakins, 2004).

Descriptive statistics on the imputed household energy usage and emissions for the restricted sample are provided in Table 1. The average Irish household used 25,304 kWh of energy annually and emitted 8.1 tCO₂; average electricity use per annum is 5591 kWh (O’Leary, Howley and Ó’Gallachóir, 2008).² Table 1 shows that the households that availed of grants under the GHS are using more energy, more electricity and emitting more CO₂ than the average Irish household. Leahy et al. (2010) found that electricity usage in Irish homes increases with household income. This is probably because wealthier households have more electrical appliances and they may use them more often. Households availing of the GHS use 12% more electricity than the average household. The average number of bedrooms for households availing of the GHS is 4.2 while the 2004/05 HBS

¹ The HBS includes information on energy expenditure in new builds up to 2004/05. In order to estimate energy use and emissions of dwellings built after this date we apply energy usage growth factors which are displayed in Table A3. These growth factors are taken from Dineen and Ó’Gallachóir (2011), where the energy consumption of the average newly built dwelling between 1997 and 2020 is estimated. The annual growth and/or decline in the demand for space heating, water heating, lighting and appliances and cooking are separately estimated.

² In comparison, the 2004/05 HBS showed that average annual energy usage was 26,139 kWh while annual electricity use was 4335 kWh. (CSO, 2007a)

shows that the average household contains 3.4 bedrooms. Also, 95% of GHS recipients live in detached houses, whereas the 2006 Census shows that only 48% of dwellings in Ireland are detached houses (CSO, 2007b). All this indicates that GHS households are relatively rich. While it is encouraging that those households that emit relatively high quantities of CO₂ are actively reducing their emissions, it also appears that the grants are being provided to relatively wealthy individuals, who may have invested in renewable technologies in the absence of government supports.

Baumol (1972) showed that, in a cost-effective emission reduction policy, emissions are priced equally at the margin. In GHS, that is not necessarily the case. Subsidies are granted for the purchase of heaters and boilers, rather than for their use. Subsidies are independent of the fuel replaced, the size of house and its energy efficiency. While the subsidy per boiler is the same for each household, the subsidy per tonne of carbon dioxide avoided varies drastically.

Therefore, in the second part of the analysis, we analyse the imposition of subsidies that are proportional to the emissions saved over the lifetime of the renewable technology. We assume that the life of biomass boilers and wood gasification boilers is 20 years and we assume that household emissions are reduced by the same amount each year over the 20 year period. We use a discount rate of 4% because this is the rate recommended for cost effectiveness analysis of public sector projects (Department of Finance, 2011). Using OLS regressions, we estimate the elasticity of demand with regard to the net cost of installations³ (i.e. the gross installation cost minus the subsidy received).⁴ We predict how households would adjust their demand in response to changes in the level of subsidy. We also estimate the number of households that would have availed of the renewable technologies even if no subsidy had been provided. We also consider more elastic and more inelastic price elasticities and we present the resulting changes in the level of demand. In addition, we present the resulting changes in the cost and emission avoidance level.

We consider three arbitrary subsidies: €20/tCO₂ (FitzGerald et al., 2008), €15/tCO₂ (the carbon tax that was introduced in December 2009) and €30/tCO₂ (the carbon tax proposed for 2014). We also consider “optimum” subsidies. In order to assess environmental efficiency, we derive the maximum amount of emissions that could have been avoided given that the budget for the scheme is €13.5 million, assuming that each household receives the same subsidy per tCO₂ avoided. Similarly, we examine economic efficiency by deriving the degree to which the cost of the scheme could have been reduced while keeping emission reduction at the current level.

Finally, we estimate the consumer surplus that is derived under different subsidy scenarios.

³ Because the net cost is unique to each household, we group the net cost variable into bands of €500 and we log the median price in each band. We also log the corresponding demand in each category. Using OLS regressions, we then find the elasticity of demand for biomass and wood gasification boilers.

⁴ Occasionally, other refurbishments were carried out in addition to the installation of the renewable technology. It appears that some households may have recorded the gross cost of all work done in the dwelling as opposed to the cost of installing the GHS technology only. In order to minimise the possibility of including incorrect estimates of the net cost, we omit the top 2.5% and bottom 2.5% of observations based on the net cost variable. All of the households for which no gross cost is reported are also omitted. The resulting sample contains 3,340 observations with the net cost ranging between €1,100 and €19,800.

3. Results

3.1. The costs of emission reduction under the GHS

Figure 1 shows that the cost per tCO₂ avoided varies hugely across the 3,336⁵ households that installed biomass boilers. 670 households receive a subsidy of €615/tCO₂ avoided and 68% of households get subsidies even higher than this. The costs of carbon dioxide mitigation for households that installed wood gasification boilers are displayed in Figure 2. 104 households in the restricted sample availed of these subsidies.⁶ 15% of households that installed wood gasification boilers get a subsidy of €374/tCO₂ avoided and 47% get subsidies even higher than this. The average cost of carbon dioxide mitigation is almost 38% higher for biomass than it is for wood gasification boilers.

Table 2 shows that the annuitised cost of emission reduction for biomass and wood boilers, assuming a 20 year life-time and 4% discount rate. Note that we omit fuel costs for want of information. In each case the standard deviation far exceeds the mean indicating that the subsidy varies hugely across households. The average annual subsidy for carbon dioxide avoided by the GHS is far higher than the EU ETS permit price which averaged €14/tCO₂ in 2010 (Point Carbon, 2011) or the carbon tax of €20/tCO₂.

3.2. Relating the subsidy to replaced emissions of the household

Figure 3 compares the subsidies that households currently receive to the subsidies that would be received were they proportional to the household's level of emission reduction. The graph shows that some households would receive a subsidy that is near zero because the current emission levels of those households are low. These households tend to use natural gas for water heating, space heating and cooking. The accommodation may be relatively small in size so that it is easier to heat or there may be fewer occupants. The accommodation may have been recently built and, therefore, complies with strict building regulations. Assuming all households still avail of the scheme, over 99% of households get a higher subsidy at present than they would if the subsidy was levied at €15/tCO₂. 1.2% of households would be better off at a subsidy level of €20/tCO₂ and this figure rises to 5% for a subsidy of €30/tCO₂. The relatively few households that benefit from an emissions related subsidy have very high levels of emissions at present. They tend to be larger households, the accommodation tends to be older and they are generally more difficult to heat. Also, they often employ very inefficient heating methods, such as an open fire.

Table A4 shows the number of households that either gain or lose when the subsidy is related to the emissions level of the household. Results show that households receive a subsidy that is on average €2,912 higher than they would receive under the €15/tCO₂ scenario. Only 13 households would get a

⁵ In total 4,139 households installed biomass boilers, however, when we restricted the sample we lost 803 of these observations.

⁶ 113 households in total received grants for wood gasification boilers; however, we omitted some of these observations based on the reported net cost.

higher subsidy if emission reduction was priced at €15/tCO₂. They would gain an average of €580 compared to the current system. Under the €20/tCO₂ scenario, 98.8% of households would see their subsidy reduced by an average of €2595 compared to the present system but 41 households would gain an average of €704. At a subsidy of €30/tCO₂, 174 households benefit. The remaining households get €2,018 more now than would be case if the subsidy was levied at €30/tCO₂.

3.3. Changes in demand as a result of changes in the subsidy

It is reasonable to assume, however, that households would adjust their demand in response to a change in the level of subsidy. Using OLS regressions we find that the price elasticity of demand for biomass boilers is -0.88 (.02) and that for wood gasification boilers is -1.87 (0.11). As previously stated only 5% of households gain if the subsidy were levied at €30/tCO₂ avoided. However, other high emission households may enter the scheme if the subsidy system was changed to an emissions related one. Similarly, households that have relatively low levels of emissions would see their subsidy fall and we would expect demand from these households to decrease. Table 3 shows how demand for the GHS changes as the subsidy changes. For presentation purposes, the table displays the average change in the level of demand exercised by different categories of households. There is large variation in the degree to which demand changes across household categories. This occurs because of the variation in emissions levels which, in turn, affects the degree to which the present value of the total subsidy awarded to each household will change.

We also consider the degree to which the GHS is economically and environmentally efficient. In one scenario, we assume the budget for the scheme equals the current cost of the scheme for the restricted sample; €13.5 million and we simulate the maximum amount of emissions that can be avoided for this cost. An important assumption is that each household availing of the scheme receives the same subsidy per tCO₂ avoided. We find that the subsidy in this case is €57.21/tCO₂. We also investigate the degree to which the cost can be reduced while reaching the same level of emission avoidance. The subsidy received by households in this case is €47.43/tCO₂. The number and profile of households availing of the scheme will change in each of these scenarios. The results are displayed in Table 3.

Figure 4 displays the degree to which the cost of the scheme and level of emission reduction changes. We find that by changing the current subsidy to one which is based on the emissions level of each household, the cost of the scheme can be reduced by €2.3 million and 17,383 tCO₂ can still be avoided per annum. On the other hand, if the budget of the scheme is €13.5 million, 1,679 extra tonnes of carbon dioxide could be avoided each year by making the subsidy payment efficient. These points are displayed in red in Figure 4.

In the absence of any subsidy at all, 1,829 households would still have installed renewable energy technologies in their homes and the resulting level of emission avoidance would have been 9,239 tCO₂ per annum. The subsidies given to these households totalled over €7 million. Consequently, the budget of €13.5 million is only contributing to a reduction of 8,144 tCO₂ per annum rather than 17,383. As explained earlier, emission reduction could be increased by 1,679 tCO₂ annually by changing the way the subsidy is awarded. Thus, the scheme is only 8,114/ (8,114+1,679) = 83%

environmentally efficient. Regarding efficiency of exchequer spending, the same level of emission reduction could have been achieved for €11.2 million. Therefore, the scheme is only $11.2/13.5 = 83\%$ economically efficient. The government overspends 17%.

Above, we treat each household in the GHS as a representative of a group of households in the HBS. Recall that energy use and emissions of households in the GHS were estimated based on the average energy usage and emissions levels of a group of similar households in the HBS. As a sensitivity analysis, we aggregate the GHS population into 32 groups, and use the group's average as the representative household. Groups were chosen based on the subsidy received, the type of accommodation and the number of bedrooms. The yellow points in Figure 4 show the results. The black points reflect the results that were derived when the GHS population was aggregated into 52 groups. This reveals the effect of heterogeneity on efficiency. The degree to which emission reduction can be increased for the same cost and the extent to which costs can be reduced for the same level of emission avoidance increases as the number of groups increases.

As another sensitivity analysis, we varied the price elasticities. We separately estimated the price elasticity for each of the 8 types of household outlined in Table 3. We then carry out the cost and emission reduction analyses on the restricted sample using the most extreme elasticities.⁷ The resulting changes in demand for the scheme, the cost of the scheme and the level of emission reduction are presented in Table 4.

When demand is more elastic than it is in the base case, a small change in the level of subsidy can have a big effect on the number and type of households availing of the scheme. When demand is inelastic, the cost of the scheme is reduced substantially to €8.6 million while the same level of emission avoidance is reached. The subsidy in this case is €36.30/tCO₂. At this price, low emission households see a relatively large fall in the total subsidy they receive, but because demand is inelastic, the total number of households availing of the scheme falls only slightly. High emission households are always encouraged to avail of the scheme when the subsidy is emissions related. Thus, the same level of emission reduction is reached for a much lower cost. With inelastic demand, the level of emission reduction only increases slightly because households do not adequately adjust their demand in response to an increase in the level of the subsidy. When demand is elastic, emission reduction reaches a higher level of 21,111 tCO₂ per annum. If no subsidy is provided and if demand is elastic, no households avail of the scheme. However, if demand is very inelastic, there will be a slight increase in demand for the scheme compared to the present system.

3.4 Consumer Surplus

We measure the level of satisfaction that consumers derive from the GHS by estimating each household's consumer surplus.⁸ Consumer surplus is the difference between the price a consumer is willing to pay and the price she actually pays. We do not have the information required to estimate producer surplus.

⁷ We also carried out the analysis using the upper and lower bound of the standard error for the elasticities used in the base case, however, standard errors were small and the analysis was not very informative.

⁸ Recall that we have data on the boiler, but not on fuel use.

We estimate the consumer surplus under the current system of subsidisation as well as in the scenarios in which the scheme is environmentally or economically efficient. Some statistics are displayed in Table 5. The total consumer surplus is highest when environmental efficiency is maximised. The average consumer surplus is also highest in this case but the standard deviation is large. This happens because the subsidy is emissions related. High emission households will benefit compared to the current system but low emission households will not. Both the total and average consumer surpluses are higher under the current system than in the case where economic efficiency is maximised. This happens because economic efficiency results in fewer households availing of the scheme and some households would receive lower subsidies than they do under the current system.

Table 5 also shows the subsidies and the net social gain (abstracting from the producer surplus). The current GHS generates a consumer surplus of €17.5 mln at a cost to the exchequer of €13.5 mln. There is a net gain of €4 mln. However, without a subsidy, the net gain would be €7.2 mln. The GHS thus destroys welfare. An economically efficient subsidy would generate a net gain of €4.7 mln – still loss-making. Adding the environmental benefits⁹ hardly changes the results. Comparing the current subsidy with the best subsidy (none), economic efficiency is 58%.

4. Discussion and Conclusion

In this paper, we present an ex-post estimate of the cost of carbon dioxide emission reduction using administrative micro-data from the Greener Homes Scheme in the Republic of Ireland. The GHS subsidizes the purchase of heating systems that use renewable energy. We focus on biomass and wood gasification boilers. The subsidy is independent of the amount or type of fuel replaced. The subsidy per tonne of carbon dioxide avoided therefore varies considerably between households. We use the data to estimate price elasticities and construct a simulation model that we use to optimize the subsidy. We find that it is possible to achieve the same emission reduction with 17% less exchequer spending; and that it is possible to achieve 17% more emission reduction for the same subsidy. 53% of the emissions avoided by bioenergy boilers would have been avoided without any subsidy. Although the subsidy has benefits for consumers and the environment, this comes at a cost to the exchequer; the subsidy reduces welfare by 42%.

The Greener Homes Scheme is a small subsidy in a small country. The total costs and avoided emission are therefore small. The relatives are substantial, however. It could well be that other greenhouse gas emission reduction programmes in other countries are just as badly designed as the Greener Homes Scheme. And there are a number of factors we have left out of the analysis. First, we focussed on bioenergy boilers, omitting the larger but probably less effective subsidies for heat pumps and solar thermal. Second, we ignore the interaction of the subsidy for renewable heat with the subsidy for home insulation and the carbon tax on oil and gas. Third, we do not consider the lack of coordination of the bioenergy subsidies with other instruments to reduce greenhouse gas emissions and promote renewable energy. Fourth, we ignore the interactions of the renewable heat subsidy with other taxes (excises, VAT). Therefore, ours is an underestimate of the true inefficiency.

⁹ Carbon dioxide is valued at €15/tCO₂, the shadow price of carbon set by the EU ETS. €15/tCO₂ is close to the central estimate of the social cost of carbon for a 1% pure rate of time preference (Tol, 2009).

Besides highlighting the suboptimal design of one particular aspect of climate policy in one particular country, the paper also shows that administrative micro-data can be used for an ex-post evaluation of policy interventions. Studies like these should be conducted for other programmes and other countries so that we can obtain an estimate of the costs of actual emission reduction policy.

Acknowledgements

The Energy Policy Research Centre of the Economic and Social Research Institute provided financial support. Edgar Morgenroth had excellent comments on an earlier draft.

References

- Amstalden, R.W., Kost, M., Nathani, C., & Imboden, D.M. (2007). Economic potential of energy-efficient retrofitting in the Swiss residential building sector: The effects of policy instruments and energy price expectations. *Energy Policy*, 35(3), 1819-1829.
- Babiker, M.H., Metcalf, G.E., & Reilly, J.M. (2003). Tax distortions and global climate policy, *Journal of Environmental Economics and Management*, 46, 269-287.
- Baumol, W.J. (1972). On Taxation and the Control of Externalities, *American Economic Review*, 62(3), 307-322.
- Clarke, L.E., Edmonds, J.A., Krey, V., Richels, R.G., Rose, S., & Tavoni, M. (2009). International Climate Policy Architectures: Overview of the EMF22 International Scenarios, *Energy Economics*, 31(S2), S64-S81.
- Clinch, J.P., & Healy, J.D. (2001). Cost-benefit analysis of domestic energy efficiency. *Energy Policy*, 29(2), 113-124.
- CSO, 2007b. 2006 Census Results. Central Statistics Office, Dublin. Available from <http://www.cso.ie/census/>
- CSO, (2007a). Household Budget Survey 2004/2005. Central Statistics Office, Dublin. Available from http://www.eirestat.cso.ie/surveysandmethodologies/surveys/housing_households/survey_hbs.htm.
- Department of Finance, (2011). Project Discount and Inflation Rates. Available from <http://www.finance.gov.ie/Viewtxt.asp?DocID=5387&CatID=56&m=&StartDate=01+January+2008>
- Department of Social and Family Affairs, (2009). Effectiveness of Domestic Energy-Efficiency Programmes. Available from http://www.seai.ie/Grants/Warmer_Homes_Scheme/Fuel_Poverty_Action_Research_Reports/executive_summary.pdf
- Dineen, D., & Ó'Gallachóir, B. (2011). Modelling the impacts of building regulations and a property bubble on residential space and water heating. *Energy and Buildings*, 43(1), 166-178.

European Commission, (2011). Renewable Energy Targets. Available from http://ec.europa.eu/energy/renewables/targets_en.htm

FitzGerald, J., Bergin, A., Conefrey, T., Diffney, S., Duffy, D., Kearney, I., Lyons, S., Malaguzzi Valeri, L., Mayor, K., & Tol, R. (2008). Medium-Term Review 2008-2015. Economic and Social Research Institute, Dublin. Available from <http://www.esri.ie/UserFiles/publications/20080515155545/MTR11.pdf>

Jenkins, D.P. (2010). The value of retrofitting carbon-saving measures into fuel poor social housing. *Energy Policy*, 38(2), 832-839.

Leahy, E., & Lyons, S. (2010). Energy use and appliance ownership in Ireland. *Energy Policy*, 38(8), 4265-4279.

Legge, T., & Scott, S. (2009) Policy Options to Reduce Ireland's Greenhouse Gas Emissions. The Economic and Social Research Institute, Dublin. Available from http://www.esri.ie/publications/latest_publications/view/index.xml?id=2797

Metcalf, G.E. (2009). Tax Policies for Low-Carbon Technologies. *National Tax Journal*, 62(3), 519-533.

Mills, B.F., & Schleich, J. (2009). Profits or preferences? Assessing the adoption of residential solar thermal technologies. *Energy Policy*, 37(10), 4145-4154.

O'Doherty, J., Lyons, S., & Tol, R.S.J. (2008). Energy-using appliances and energy-saving features: Determinants of ownership in Ireland. *Applied Energy*, 85(7), 650-662.

Oritz, R.A., & Markandya, A. (2009) Which policy option can be more cost-effective in promoting the use of energy efficient appliances in Europe? A comparison of energy taxes, subsidies, tax credits and bans. Basque Centre for Climate Change, Bilbao. Available from www.bc3research.org/policy_briefings/downpubli.html

Point Carbon, (2011) Globally Carbon Markets Gain One Percent in Value from 2009 to 2010. Available from <http://www.pointcarbon.com/aboutus/pressroom/pressreleases/1.1496966>

O'Leary, F., Howley, M., & Ó'Gallachóir, B. (2008) Energy in the Residential Sector, 2008 Report. Sustainable Energy Authority of Ireland, Cork. Available from http://www.seai.ie/News_Events/Press_Releases/Energy_in_the_Residential_Sector_FNL.pdf

SEAI, (2010) Grants Greener Homes Scheme FAQ. Available from <http://www.seai.ie/Grants/GreenerHomes/FAQ/#chosen>

SEAI, (2011) Home Energy Saving scheme Statistics. Available from http://www.seai.ie/Grants/Home_Energy_Saving_Scheme/HES_Statistics/

Scott, S., & Eakins, J. (2004) Carbon Taxes: Which Households Gain or Lose? Environmental Protection Agency, Wexford. Available from http://www.esri.ie/pdf/BKMNEXT043_Carbon%20Taxes.pdf

Scott, S. (1997). Household energy efficiency in Ireland: A replication study of ownership of energy saving items. *Energy Economics*, 19(2), 187-208.

Tol, R.S.J. (2009). The Economic Effects of Climate Change, *Journal of Economic Perspectives*, 23(2), 29-51.

Wasi, N., & Carson, R. (2011) The Influence of Rebate Programs on the Demand for Water Heaters: The Case of New South Wales. Paper presented at the [Australian Agricultural and Resource Economics Society](#) Conference, February 8-11, 2011, Melbourne. Available from <http://ageconsearch.umn.edu/bitstream/100731/2/Wasi%20N.pdf>

Table 1. Household energy use, electricity use and emissions in the GHS

	Household energy use (kWh)	Household electricity use (kWh)	Household emissions (tCO₂)	Emissions of replaced fuel (tCO₂)	GHS Subsidy (€)
Total	102,905,990	21,499,594	62,938	17,383	13,515,600
Average	29,915	6,250	18	5	3,929
Standard deviation	4,388	1,372	4	2	586
Min	13,372	0	4	0	2,000
Max	47,796	9,647	29	17	4,200

Table 2. Descriptive statistics: Biomass Boilers and Wood Gasification Boilers

	Biomass boilers	Wood gasification boilers
Number of installations	3,336	104
Total amount in grants (€)	13,307,600	208,000
Average subsidy (€/tCO ₂) ^a	316	227
Standard deviation (€/tCO ₂) ^a	1,929	1,179
Minimum cost (€/tCO ₂) ^a	5	4
Maximum cost (€/tCO ₂) ^a	14,841	7,067
Median cost (€/tCO ₂) ^a	30	13

^a Annual cost discounted at 4% over 20 years

Table 3. Changes in demand by different categories of households as a result of changes in the subsidy

House type and number of bedrooms	Current System		€0/tCO ₂ for 20 years		€15/tCO ₂ for 20 years		€20/tCO ₂ for 20 years		€30/tCO ₂ for 20 years		Same level of emission avoidance for reduced cost		Increased level of emission avoidance for same cost	
	Subsidy	Uptake	Uptake	change in uptake	Uptake	change in uptake	Uptake	change in uptake	Uptake	change in uptake	Uptake	change in uptake	Uptake	change in uptake
Detached 1/2	2000	2	0.8	-59%	1.1	-47%	1.2	-42%	1.3	-34%	1.6	-20%	1.8	-12%
	2500	1	0.8	-22%	0.9	-14%	0.9	-11%	0.9	-5%	1.0	5%	1.1	10%
	3000	6	4.2	-30%	4.5	-24%	4.6	-23%	4.8	-19%	5.2	-14%	5.4	-10%
	4200	40	14.1	-65%	16.6	-59%	17.4	-56%	19.1	-52%	21.9	-45%	23.6	-41%
Detached 3	2000	12	6.7	-44%	8.9	-26%	9.6	-20%	11.0	-8%	13.5	12%	14.8	24%
	2500	14	11.0	-21%	12.2	-13%	12.7	-10%	13.5	-4%	14.9	7%	15.8	13%
	3000	49	34.3	-30%	38.0	-22%	39.2	-20%	41.6	-15%	45.8	-6%	48.2	-2%
	4200	325	160.6	-51%	187.6	-42%	196.7	-39%	214.7	-34%	246.1	-24%	263.8	-19%
Detached 4	2000	46	27.1	-41%	36.4	-21%	39.5	-14%	45.6	-1%	56.4	23%	62.4	36%
	2500	47	35.7	-24%	39.8	-15%	41.1	-13%	43.8	-7%	48.5	3%	51.1	9%
	3000	254	180.5	-29%	208.2	-18%	217.4	-14%	235.8	-7%	268.0	6%	286.0	13%
	4200	1524	756.2	-50%	969.1	-36%	1040.1	-32%	1182.0	-22%	1429.4	-6%	1568.2	3%
Detached 5	2000	29	17.6	-39%	24.3	-16%	26.5	-8%	31.0	7%	38.8	34%	43.2	49%
	2500	26	20.1	-23%	22.1	-15%	22.8	-12%	24.1	-7%	26.4	1%	27.6	6%
	3000	94	68.8	-27%	76.6	-18%	79.2	-16%	84.4	-10%	93.5	-1%	98.6	5%
	4200	603	296.5	-51%	362.7	-40%	384.7	-36%	428.8	-29%	505.6	-16%	548.8	-9%
Detached 6/7	2000	11	7.2	-35%	10.2	-8%	11.2	2%	13.2	20%	16.7	51%	18.6	69%
	2500	9	7.4	-18%	8.2	-8%	8.5	-5%	9.1	1%	10.0	11%	10.6	17%
	3000	18	13.2	-27%	15.5	-14%	16.2	-10%	17.7	-2%	20.3	13%	21.7	21%
	4200	144	72.3	-50%	97.3	-32%	105.7	-27%	122.3	-15%	151.4	5%	167.7	16%
Detached 8 or more*	2000	2	1.4	-32%	1.7	-17%	1.8	-12%	2.0	-1%	2.3	16%	2.5	26%
	3000	1	0.8	-22%	0.8	-16%	0.9	-15%	0.9	-11%	1.0	-5%	1.0	-1%
	4200	11	7.0	-36%	8.0	-27%	8.3	-25%	8.9	-19%	10.1	-9%	10.7	-3%
Semi d/terraced 1/2/3	2000	1	0.4	-62%	0.4	-62%	0.4	-62%	0.4	-62%	0.4	-62%	0.4	-62%
	2500	4	3.2	-21%	3.4	-15%	3.5	-14%	3.6	-10%	3.9	-3%	4.0	0%
	3000	10	6.9	-31%	7.4	-26%	7.6	-24%	8.0	-20%	8.7	-13%	9.1	-9%
	4200	56	27.4	-51%	30.7	-45%	31.8	-43%	34.0	-39%	37.9	-32%	40.0	-29%

House type and number of bedrooms	Current System		€0/tCO ₂ for 20 years		€15/tCO ₂ for 20 years		€20/tCO ₂ for 20 years		€30/tCO ₂ for 20 years		Same level of emission avoidance for reduced cost		Increased level of emission avoidance for same cost	
Semi d/terraced 4/5/6	2000	2	1.2	-38%	1.7	-14%	1.9	-7%	2.2	9%	2.7	36%	3.0	51%
	2500	1	0.9	-12%	0.9	-6%	1.0	-4%	1.0	1%	1.1	9%	1.1	13%
	3000	8	6.0	-24%	6.6	-18%	6.7	-16%	7.1	-12%	7.6	-4%	8.0	0%
	4200	90	38.4	-57%	49.8	-45%	53.6	-40%	61.2	-32%	74.4	-17%	81.8	-9%
Total uptake		3440	1829		2252		2392		2674		3165		3440	

*No households in this category were given a subsidy of €2500

Table 4. Cost and emission scenarios under different price elasticities

PED		€/tCO ₂	Annual emission reduction (tCO ₂)	Total cost (€)	Household demand
Wood: -1.87, Biomass -0.88	Current System	Various	17,383	13,515,600	3,440
	Same level of emission avoidance for reduced cost	47.43	17,383	11,205,686	3,165
	Increased level of emission avoidance for the same cost	57.21	19,061	13,515,600	3,440
	No subsidy	0	9,239	0	1,829
	€15/tCO ₂	15	11,814	3,543,636	2,252
	€20/tCO ₂	20	12,673	4,724,848	2,392
	€30/tCO ₂	30	14,390	7,087,272	2,674
Wood: -2.3, Biomass -2.23	Same level of emission avoidance for reduced cost	48.36	17,383	11,423,738	2,772
	Increased level of emission avoidance for the same cost	57.21	21,111	13,515,600	3,387
	No subsidy	0	- 2,972	0	- 587
	€15/tCO ₂	15	3,342	3,543,636	455
	€20/tCO ₂	20	5,447	4,724,848	802
	€30/tCO ₂	30	9,656	7,087,272	1,497
Wood: -1.01, Biomass -0.04	Same level of emission avoidance for reduced cost	36.30	17,383	8,575,600	3,419
	Increased level of emission avoidance for the same cost	57.21	17,659	13,515,600	3,461
	No subsidy	0	16,906	0	3,346
	€15/tCO ₂	15	17,103	3,543,636	3,376
	€20/tCO ₂	20	17,169	4,724,848	3,386
	€30/tCO ₂	30	17,300	7,087,272	3,406

Table 5. Welfare analysis.

	CS: No subsidy	CS: Current system	CS: 100% Economically Efficient	CS: 100% Environmentally Efficient
Consumer surplus (€)	7,245,831	17,519,686	15,893,294	18,254,751
Average surplus (€/h)	2,106	5,093	4,620	5,307
Standard deviation (€/h)	1,531	1,855	3,731	4,427
Cost (€)	0	13,515,600	11,205,686	13,515,600
Economic gain (€)	7,245,831	4,004,086	4,687,608	4,739,151
Emissions (tCO ₂ /yr) ^a	9,239	17,383	17,383	19,062
Welfare gain (€)	7,384,416	4,264,831	4,948,353	5,025,081

^a Emissions are valued at €15/tCO₂.

Figure 1. Cost per tCO₂ avoided per household: Biomass Boilers




Figure 2. Cost per tCO₂ avoided per household: Wood Gasification Boilers




Figure 3. Comparison of subsidy options




Figure 4. Changes in cost and emission reduction resulting from subsidy changes




Table A1. Demand for renewable technologies under the Greener Homes Scheme

Technology	2006		2007		2008		2009		2010	
	Freq	Cost €000s	Freq	Cost €000s	Freq	Cost €000s	Freq	Cost €000s	Freq	Cost €000s
Air Source heat pump	308	1,232	364	1,360	269	537	72	145	26	52
Horizontal ground collector heat pump	1,549	6,661	1,034	4,160	590	1,475	42	105	14	35
Vertical ground collector heat pump	505	3,280	563	3,439	335	1,178	43	144	5	18
Water (well) to water heat pump	43	187	46	187	37	93	7	18	1	3
Biomass Boiler	2,411	10,100	1,215	4,930	454	1,323	49	123	10	25
Biomass Stove	362	399	360	396	218	212	141	113	37	30
Biomass Stove with back boiler	272	490	146	263	109	177	64	90	23	32
Wood Gasification Boiler	-	-	-	-	46	92	59	118	11	22
Solar Evacuated Tube	-	-	330	396	2,317	2,800	2,152	2,606	902	1,056
Solar Flat Plate	-	-	675	902	3,496	4,597	1,832	2,368	1,026	1,270
Solar Thermal for Hot water and space heating	191	451	177	411	1	2	-	-	-	-
Solar Thermal for Hot water only	2,026	3,266	3,189	5,022	1	2	-	-	-	-
Total	7,667	26,065	8,099	21,465	7,873	12,485	4,461	5,828	2,055	2,542

Table A2. Greener Homes Scheme grants 2006 – 2010

Technology	Subsidy	Year	Average installation cost	Standard deviation	Installation cost estimated by SEAI
Air Source Heat Pump	€4,000	Apr 2006 - Oct 2007	€14,955	€7,772	€12,000 - €13,000
	€2,000	Oct 2007 - 2010			
Horizontal Ground Collector Heat Pump	€4,300	Apr 2006 - Oct 2007	€18,358	€7,048	€13,000 - €15,000
	€2,500	Oct 2007 - 2010			
Vertical ground collector heat pump	€6,500	Apr 2006 - Oct 2007	€21,940	€9,344	€18,000 - €21,000
	€3,500	Oct 2007 - 2010			
Water (well) to water heat pump	€4,300	Apr 2006 - Oct 2007	€16,898	€7,604	€12,000 - €14,000
	€2,500	Oct 2007 - 2010			
Biomass Boiler	€4,200	Apr 2006 - Oct 2007	€9,553	€5,264	€10,000 - €16,000
	€3,000	Oct 2007 - Aug 2008			
	€2,500	Aug 2008 - 2010			
Biomass Stove	€1,100	Apr 2006 - Aug 2008	€3,127	€31	€2,000 - €5,000
	€800	Aug 2008-2010			
Biomass Stove with back boiler	€1,800	Apr 2006 - Aug 2008	€5,587	€3,400	€4,000 - €6,000
	€1,400	Aug 2008-2010			
Wood Gasification Boiler	€2,000	July 2008 - 2010	€10,720	€3,967	€10,000 - €16,000
Solar Evacuated Tube	€300 per m ² (to max.6m ²)	2006 - 2010	€5,915	€2,861	€800 - €1,300
Solar Flat Plate	€250 per m ² (to max.6m ²)	2006 - 2010	€6,505	€3,112	€800 - €1,300
Solar Thermal for Hot water and space heating	€300 per m ² (to max.6m ²)	2006 - 2010	€10,694	€6,508	€800 - €1,300
Solar Thermal for Hot water only	€300 per m ² (to max.6m ²)	2006 - 2010	€7,016	€4,612	€800 - €1,300

Table A3. Growth factor in energy use for new builds compared to 2005

Year	Adjustment factor: electricity	Adjustment factor: space heating	Adjustment factor: Total Energy
2009	1.43	0.55	0.71
2008	1.38	0.81	0.89
2007	1.29	1	1.03
2006	1.19	1.01	1.04
2005	1	1	1

Table A4. Subsidy options

	Current Subsidy	€15/tCO₂*	€20/tCO₂*	€30/tCO₂*
Total cost (€)	13,515,600	3,543,636	4,724,848	7,087,272
Average per household (€)	3,929	1,030	1,374	2,060
Standard deviation (€)	587	457	610	915
No of households that gain from emissions related subsidy		13	41	174
Average gain (€)		580	704	925
No of households that lose from emissions related subsidy		3,427	3,399	3,266
Average loss (€)		2,912	2,595	2,018

*We assume that the appliance lasts for 20 years. Prices are discounted at 4%.

Year	Number	Title/Author(s) ESRI Authors/Co-authors <i>Italicised</i>
2011	387	Credit Where Credit's Due: Accounting for Co-Authorship in Citation Counts <i>Richard S.J. Tol</i>
	386	Does the housing market reflect cultural heritage? A case study of Greater Dublin Mirko Moro, <i>Karen Mayor, Seán Lyons, Richard S.J. Tol</i>
	385	What Can I Get For It? A Theoretical and Empirical Re-Analysis of the Endowment Effect <i>Pete Lunn</i> and Mary Lunn
	384	The Irish Economy Today: Albatross or Phoenix? <i>John Fitz Gerald</i>
	383	Merger Control in Ireland: Too Many Unnecessary Merger Notifications? <i>Paul K Gorecki</i>
	382	The Uncertainty About the Total Economic Impact of Climate Change <i>Richard S.J. Tol</i>
	381	Trade Liberalisation and Climate Change: A CGE Analysis of the Impacts on Global Agriculture Alvaro Calzadilla, Katrin Rehdanz and <i>Richard S.J. Tol</i>
	380	The Marginal Damage Costs of Different Greenhouse Gases: An Application of FUND David Anthoff, Steven Rose, <i>Richard S.J. Tol</i> and Stephanie Waldhoff
	379	Revising Merger Guidelines: Lessons from the Irish Experience <i>Paul K. Gorecki</i>
	378	Local Warming, Local Economic Growth, and Local Change in Democratic Culture Evert Van de Vliert, <i>Richard S. J. Tol</i>
	377	The Social Cost of Carbon <i>Richard S.J. Tol</i>

For earlier **Working Papers** see

http://www.esri.ie/publications/search_for_a_working_pape/search_results/index.xml