# Finally a Case for Collaborative VR?: The Need to Design for Remote Multi-Party Conversations

Anna Bleakley University College Dublin anna.bleakley@ucdconnect.ie Vincent Wade Trinity College Dublin, Ireland vincent.wade@adaptcentre.ie Benjamin R. Cowan University College Dublin benjamin.cowan@ucd.ie

# **ABSTRACT**

Amid current social distancing measures requiring people to work from home, there has been renewed interest on how to effectively converse and collaborate remotely utilizing currently available technologies. On the surface, VR provides a perfect platform for effective remote communication. It can transfer contextual and environmental cues and facilitate a shared perspective while also allowing people to be virtually co-located. Yet we argue that currently VR is not adequately designed for such a communicative purpose. In this paper, we outline three key barriers to using VR for conversational activity: (1) variability of social immersion, (2) unclear user roles, and (3) the need for effective shared visual reference. Based on this outline, key design topics are discussed through a user experience design perspective for considerations in a future collaborative design framework.

#### **CCS CONCEPTS**

 Human-centered computing → Collaborative and social computing theory, concepts and paradigms; Virtual reality; Collaborative interaction; User centered design;

# **KEYWORDS**

collaboration; virtual reality; social VR; conversational user interface

#### **ACM Reference Format:**

Anna Bleakley, Vincent Wade, and Benjamin R. Cowan. 2020. Finally a Case for Collaborative VR?: The Need to Design for Remote Multi-Party Conversations. In *2nd Conference on Conversational User Interfaces (CUI '20), July 22–24, 2020, Bilbao, Spain.* ACM, New York, NY, USA, 3 pages. https://doi.org/10.1145/3405755.3406144

#### 1 INTRODUCTION

Amid the surge in remote working conditions due to current social distancing measures, VR could be seen to provide much promise as a tool to support multiparty communication. As early as the 90s VR spaces have been built to facilitate collaboration [1, 2] encouraging a move towards multi-party virtual communication. More recently VR platforms have facilitated a multitude of conversational activities including conferences, social networking, and teleconferencing. However, the technology is yet to be adopted on a larger



This work is licensed under a Creative Commons Attribution International 4.0 License.

CUI '20, July 22–24, 2020, Bilbao, Spain © 2020 Copyright held by the owner/author(s). ACM ISBN 978-1-4503-7544-3/20/07. https://doi.org/10.1145/3405755.3406144 scale due to shortcomings in facilitating multi-party collaborative experiences.

Currently, there exists a shortage of studies that explore how to better design collaborative VR platforms. This is essential in order to identify concepts crucial to activities and conversations that are a part of virtual collaborative experiences. In the literature, current design choices have been examined [6, 10, 11] but focus mainly on single user experiences or an available platform's features. Some research has begun to study how design decisions support multi-party social interaction [17, 18] but are not targeted at creating design principles applicable for collaboration or in supporting conversations that take place in various contexts. Defining design requirements are necessary to ensure that VR designers build effective collaborative experiences that can extend to a multitude of scenarios. In this provocation, we argue that clear insights to inform the design of VR spaces for effective conversation and collaboration are currently lacking. Our paper highlights three key issues needing to be addressed in collaborative VR research with the hopes of laying the groundwork for future design research in this domain.

# 2 KEY ISSUES

# 2.1 Variability of social immersion

Establishing a sense of presence is a common goal for VR applications and has regularly been used as a user experience measure when assessing VR applications. In VR, users do tend to attain a sense of social presence; a sense of *being there* or in groups and *being there together*. Increasing social presence has the potential to promote social cues common in face-to-face interactions such as eye-contact, joint attention as well as non-verbal and verbal cues relevant to a given context enhancing the effectiveness of communicative activities [17]. Yet the level of social presence varies significantly depending on the type of VR application used [15].

The way avatars or environments are augmented also impact co-presence. In a recent experiment, co-presence is shown to be impacted by level detail of avatars as well as fidelity of the background [7]. This suggests that multiple design variables are likely to contribute to social immersion and even affect emotional response in users as demonstrated in [8]. Even though significant work has concentrated on this concept, we are still unclear what aspects of the environment, social behaviors, and user appearance impact levels of social presence systematically and how these play out in multi-party contexts.

## 2.2 Unclear collaborative roles

Signals about one's identity and role influence social interaction. For example the way an avatar or agent is depicted in these virtual environments is known to affect emotional states and empathic behaviour [9]. For multi-party collaboration, roles are dynamic, with speakers taking on different capacities such as speakers, addressees, by-standers, and overhearers during an interaction [14]. Depending on the context for multi-party conversation, the recognition and appropriate signalling of these roles in VR is crucial to consider. As clear conversational roles allow for effective multi-party interactions [14], the display of effective conversational mechanics by avatars such as attentiveness and gaze behaviour as well as mechanisms to signal roles within a conversation may lead to more effective turn-taking beyond deploying 'floor-control' policies like tradition conferencing systems. What is more, as agents also become communicative actors in VR spaces, taking on previously human roles such as a facilitators or guides, we must also be cognisant of how their role in the conversation is communicated and how their conversational capabilities can be more clearly signalled through design.

# 2.3 The need for an effective shared visual reference

Shared visual information on the state of the task as well as state of a remote partner are integral for effective remote collaboration when designing virtual environments [19]. When performing tasks in physical environments, a shared workspace has been shown to assist users in efficiently collaborating when relying on visual information rather than verbally confirming their actions [4]. Various collaborative multi-party tasks require a shared object of interest such as a Kanban board, whiteboard, or poster - that collaborators refer to physically and verbally. In physical collaboration tasks, speech and action have been shown to relate to mutual visual references in the background that coordinate these actions through non-verbal media [3]. This needs to be considered more effectively for VR based collaboration and contextualized for wider use.

To our knowledge studies on shared artifacts are limited on a general level, and those available are specific to domains such as human-data interaction [5], scientific communities [5], or architectural design spaces [12] to name a few. In these studies much of the emphasis has been on building virtual environments to accommodate specific tasks rather than conversations that take place in reference to shared artifacts. Although some work has examined collaboration on a general level [13, 16, 20], they mainly focus on technological factors or are outdated with the release of new commercial VR applications. Experiences are bound to differ depending on differences in artifacts and settings in question as different contexts and tasks will have specific needs to shape the form of interactions most effective. For instance, a joint programming workflow will require vastly different shared coordination tools and visual reference artifacts in contrast with a joint learning context. The design of visual references therefore need to be understood with consideration to how mutual objects of reference as well as the environment can support multiparty communicative goals.

# 3 CONCLUSION

Amid the current pandemic there has been growing interest in how we can effectively work and collaborate remotely. Although VR seems like it should provide the perfect environment for such collaboration, we argue that currently VR is not adequately designed for such multiparty communicative contexts. Here we highlight how issues in social immersion, user roles and the design of effective spaces to incorporate share referents need to be addressed to ensure we improve the experience of VR users in such contexts. The outlining of these issues aims to act as a foundation for what to focus on when considering the design of multiparty VR spaces for conversation and collaboration.

### 4 ACKNOWLEDGMENTS

This work was conducted with the financial support of the Science Foundation Ireland Centre for Research Training in Digitally-Enhanced Reality (D-REAL) under Grant No. 18/CRT/6224 and Science Foundation Ireland ADAPT Centre under Grant. No. 13/RC/2106.

#### REFERENCES

- David B Anderson, John W Barrus, John H Howard, Charles Rich, Chia Shen, and Richard C Waters. 1995. Building multiuser interactive multimedia environments at MERL. IEEE MultiMedia 2, 4 (1995), 77–82.
- [2] Steve Benford, John Bowers, Lennart E Fahlén, Chris Greenhalgh, and Dave Snowdon. 1995. User embodiment in collaborative virtual environments. In Proceedings of the SIGCHI conference on Human factors in computing systems. 242–249.
- [3] Nick V Flor. 1998. Side-by-side collaboration: A case study. International Journal of Human-Computer Studies 49, 3 (1998), 201–222.
- [4] Susan R Fussell, Robert E Kraut, and Jane Siegel. 2000. Coordination of communication: Effects of shared visual context on collaborative work. In Proceedings of the 2000 ACM conference on Computer supported cooperative work. 21–30.
- [5] Arturo S García, Terrence Fernando, David J Roberts, Christian Bar, Michele Cencetti, Wito Engelke, and Andreas Gerndt. 2019. Collaborative virtual reality platform for visualizing space data and mission planning. *Multimedia Tools and Applications* 78, 23 (2019), 33191–33220.
- [6] Jason Jerald. 2015. The VR book: Human-centered design for virtual reality. Morgan & Claypool.
- [7] Dongsik Jo, Ki-Hong Kim, and Gerard Jounghyun Kim. 2016. Effects of avatar and background representation forms to co-presence in mixed reality (MR) teleconference systems. In SIGGRAPH ASIA 2016 Virtual Reality meets Physical Reality: Modelling and Simulating Virtual Humans and Environments. 1–4.
- [8] Dongsik Jo, Ki-Hong Kim, and Gerard Jounghyun Kim. 2017. Effects of avatar and background types on users' co-presence and trust for mixed reality-based teleconference systems. In In Proceedings the 30th Conference on Computer Animation and Social Agents. 27–36.
- [9] Esperanza Johnson, Ramón Hervás, Carlos Gutiérrez López de la Franca, Tania Mondéjar, Sergio F Ochoa, and Jesús Favela. 2018. Assessing empathy and managing emotions through interactions with an affective avatar. *Health informatics* journal 24, 2 (2018), 182–193.
- [10] Marcel Jonas, Steven Said, Daniel Yu, Chris Aiello, Nicholas Furlo, and Douglas Zytko. 2019. Towards a Taxonomy of Social VR Application Design. In Extended Abstracts of the Annual Symposium on Computer-Human Interaction in Play Companion Extended Abstracts. 437–444.
- [11] Joshua McVeigh-Schultz, Anya Kolesnichenko, and Katherine Isbister. 2019. Shaping Pro-Social Interaction in VR: An Emerging Design Framework. In Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems. 1–12.
- [12] Minh-Tu Nguyen, Hai-Khanh Nguyen, Khanh-Duy Vo-Lam, Xuan-Gieng Nguyen, and Minh-Triet Tran. 2016. Applying virtual reality in city planning. In International Conference on Virtual, Augmented and Mixed Reality. Springer, 724–735.
- [13] Oliver Otto, Dave Roberts, and Robin Wolff. 2006. A review on effective closelycoupled collaboration using immersive CVE's. In Proceedings of the 2006 ACM international conference on Virtual reality continuum and its applications. 145–154.
- [14] Tomislav Pejsa, Michael Gleicher, and Bilge Mutlu. 2017. Who, me? How virtual agents can shape conversational footing in virtual reality. In *International Conference on Intelligent Virtual Agents*. Springer, 347–359.
- [15] Iana Podkosova and Hannes Kaufmann. 2018. Co-presence and proxemics in shared walkable virtual environments with mixed colocation. In Proceedings of the 24th ACM Symposium on Virtual Reality Software and Technology. 1–11.
- [16] David Roberts, Robin Wolff, Oliver Otto, Dieter Kranzlmueller, Christoph Anthes, and Anthony Steed. 2004. Supporting social human communication between distributed walk-in displays. In Proceedings of the ACM symposium on Virtual reality software and technology. 81–88.

- [17] Daniel Roth, Constantin Klelnbeck, Tobias Feigl, Christopher Mutschler, and Marc Erich Latoschik. 2018. Beyond replication: Augmenting social behaviors in multi-user virtual realities. In 2018 IEEE Conference on Virtual Reality and 3D User Interfaces (VR). IEEE, 215–222.
- [18] Anthony Scavarelli, Ali Arya, and Robert J Teather. 2019. Towards a framework on accessible and social VR in education. In 2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR). IEEE, 1148–1149.
- [19] Harrison Jesse Smith and Michael Neff. 2018. Communication behavior in embodied virtual reality. In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems. 1–12.
- [20] Robin Wolff, Dave J Roberts, Anthony Steed, and Oliver Otto. 2007. A review of telecollaboration technologies with respect to closely coupled collaboration. International Journal of Computer Applications in Technology 29, 1 (2007), 11–26.